






## Material Safety Data Sheet

EU Regulation: 1907/2006

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 PRODUCT IDENTIFICATION</b>	
<b>PRODUCT NAME</b>	LAVENDER, ESSENTIAL OIL (40/42)
<b>BIOLOGICAL DEFINITION</b>	BLENDED MIXTURE OF LAVENDER OILS (LAVANDULA ANGUSTIFOLIA L.), AND OTHER LAVANDULA SPP. NATURAL FRACTIONS AND NI COMPONENTS. THE ESTER CONTENT IS MAINTAINED AT 40-42% BY ADJUSTMENT WITH LINALYL ACETATE.
<b>INCI NAME</b>	LAVANDULA ANGUSTIFOLIA OIL
<b>SYNONYMS &amp; TRADE NAMES</b>	-
<b>INTERNAL PRODUCT CODE</b>	
<b>1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET</b>	
<b>COMPANY ADDRESS</b>	Ecoflores 34-400 Nowy Targ ul. Waksmundzka 34 Poland +48604508229
<b>EMAIL</b>	kontakt@ecoflores.eu
<b>1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET</b>	
<b>EMERGENCY CONTACTS</b>	112

### SECTION 2: HAZARDS IDENTIFICATION

<b>2.1</b>	
<b>CLASSIFICATION OF THE SUBSTANCE OR MIXTURE</b>	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
<b>CLASSIFICATION (67/548/EEC)</b>	NO ADDITIONAL DATA AVAILABLE.
<b>CLASSIFICATION (EU1272/2008)</b>	<b>PHYSICAL HAZARDS:</b> NOT CLASSIFIED <b>HEALTH HAZARDS:</b> SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 – H319. ASP TOX. 1 - H304 <b>ENVIRONMENTAL HAZARDS:</b> AQUATIC CHRONIC 2 - H411
<b>2.2</b>	
<b>LABEL ELEMENTS</b>	LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.
<b>GHS LABEL</b>	   GHS07                      GHS08                      GHS09
<b>SIGNAL WORD</b>	DANGER
<b>CONTAINS</b>	alpha thuyene ; alpha-Pinene ; d-Limonene ; Eucalyptol ; 3,7-Dimethyl-1,3,6-octatriene ; Linalool ; Linalyl acetate ; beta-Caryophyllene ; Neryl acetate ; Geranyl acetate ; Nerol ; Geraniol ; Coumarin
<b>HAZARDS STATEMENT</b>	H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
<b>PRECAUTIONARY STATEMENTS</b>	P261 - AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P280 - WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P301+P310+P331 - IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR/.... DO NOT INDUCE VOMITING. P333+P313 - IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P337+P313 - IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION. P391 - COLLECT SPILLAGE.
<b>SUPPLEMENTARY PRECAUTIONARY STATEMENTS</b>	NO ADDITIONAL DATA AVAILABLE.
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
<b>2.3</b>	
<b>OTHER HAZARDS</b>	
<b>ADVERSE PHYSIO-CHEMICAL PROPERTIES</b>	NO DATA
<b>ADVERSE EFFECTS ON HUMAN HEALTH</b>	NO DATA
<b>PBT OR VPvB ACCORDING TO ANNEX XIII</b>	NO DATA
<b>SECTION 3: COMPOSITION OF INGREDIENTS</b>	
<b>3.2 MIXTURES</b>	<p> <b>≤42.9% LINALOOL</b>                      CAS No: 78-70-6      EC No: 201-134-4            CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317, EYE IRRIT. 2, H319         </p> <p> <b>25.0 – 50.0% LINALYL ACETATE</b>                      CAS No: 115-95-7      EC No: 204-116-4            CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317, EYE IRRIT. 2, H319         </p> <p> <b>≤ 5.2% LIMONENE</b>                      CAS No: 5989-27-5      EC No: 227-813-5            CLASSIFICATION (EC 1272/2008): ASP. TOX. 1, H304, AQUATIC ACUTE 1, H400, AQUATIC CHRONIC 1, H410            FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317         </p> <p> <b>1.0 – 5.0% BETA-CARYOPHYLLENE</b>                      CAS No: 87-44-5      EC No: 201-746-1            CLASSIFICATION (EC 1272/2008): ASP. TOX. 1, H304, AQUATIC CHRONIC 4, H413, SKIN SENS. 1B, H317         </p> <p> <b>1.0 – 5.0% EUCALYPTOL</b>                      CAS No: 470-82-6      EC No: 207-431-5            CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3, H226, SKIN SENS. 1B, H317         </p> <p> <b>1.0 – 5.0% D-CAMPHOR</b>                      CAS No: 464-49-3      EC No: 207-355-2            CLASSIFICATION (EC 1272/2008): ACUTE TOX. 4 (INHALATION), H332, ACUTE TOX. 4 (ORAL), H302,         </p>

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Ecoflores regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Ecoflores.

	FLAM. SOL. 2, H228, STOT SE 2, H371
<b>1.0 – 5.0% 4-CARVOMENTHENOL</b>	CAS No: 562-74-3 EC No: 209-235-5
CLASSIFICATION (EC 1272/2008):	ACUTE TOX. 4 (ORAL), H302, EYE IRRIT. 2, H319, SKIN IRRIT. 2, H315
<b>1.0 – 5.0% 3,7-DIMETHYL-1,3,6-OCTATRIENE</b>	CAS No: 13877-91-3 EC No: 237-641-2
CLASSIFICATION (EC 1272/2008):	ASP. TOX. 1, H304, AQUATIC ACUTE 1, H400, AQUATIC CHRONIC 2, H411, FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315
<b>1.0 – 5.0% GERANYL ACETATE</b>	CAS No: 105-87-3 EC No: 203-341-5
CLASSIFICATION (EC 1272/2008):	AQUATIC CHRONIC 3, H412, SKIN IRRIT. 2, H315, SKIN SENS. 1, H317
<b>≤1.0 % MYRCENE</b>	CAS No: 123-35-3 EC No: 204-622-5
CLASSIFICATION (EC 1272/2008):	ASP. TOX. 1, H304, EYE IRRIT. 2, H319, AQUATIC ACUTE 1, H400, AQUATIC CHRONIC 2, H411, FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315
<b>≤ 0.5 % GERANIOL</b>	CAS No: 106-24-1 EC No: 203-377-1
CLASSIFICATION (EC 1272/2008):	EYE DAM. 1, H318, SKIN IRRIT. 2, H315, SKIN SENS. 1, H317
<b>≤1.0 % NERYL ACETATE</b>	CAS No: 141-12-8 EC No: 205-459-2
CLASSIFICATION (EC 1272/2008):	SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317
<b>≤1.0 % ALPHA PINENE</b>	CAS No: 80-56-8 EC No: 201-291-9
CLASSIFICATION (EC 1272/2008):	ASP. TOX. 1, H304, ACUTE TOX. 4 (ORAL), H302, AQUATIC ACUTE 1, H400, AQUATIC CHRONIC 1, H410, FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317
<b>≤ 0.3 % COUMARIN</b>	CAS No: 91-64-5 EC No: 202-086-7
CLASSIFICATION (EC 1272/2008):	ACUTE TOX. 4 (ORAL), H302, SKIN SENS. 1B, H317
<b>≤1.0 % NEROL</b>	CAS No: 106-25-2 EC No: 203-378-7
CLASSIFICATION (EC 1272/2008):	EYE IRRIT. 2, H319, SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317

## SECTION 4: FIRST AID MEASURES

<b>4.1</b>	
<b>DESCRIPTION OF FIRST AID MEASURES</b>	
<b>GENERAL INFORMATION</b>	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
<b>INHALATION</b>	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
<b>INGESTION</b>	DO NOT INDUCE VOMITING. INGESTION MAY CAUSE NAUSEA AND VOMITING. IMMEDIATELY RINSE MOUTH AND PROVIDE FRESH AIR. GET MEDICAL ADVICE/ATTENTION.
<b>SKIN CONTACT</b>	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
<b>EYE CONTACT</b>	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
<b>4.2</b> MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	SKIN CONTACT: IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. EYE CONTACT: EYE IRRITATION. INGESTION: RISK OF LUNG OEDEMA.
<b>4.3</b> INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY

<b>SECTION 5: FIRE FIGHTING MEASURES</b>	
<b>5.1 EXTINGUISHING MATERIAL</b>	FOAM, CO2, DRY CHEMICAL POWDER.
<b>5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO HEALTH. DO NOT BREATHE IN SMOKE. THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES: CARBON DIOXIDE (CO2), CARBON MONOXIDE (CO), OTHER TOXIC GASES. CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER.
<b>5.3 ADVICE FOR FIRE-FIGHTERS</b>	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.
<b>SECTION 6: ACCIDENTAL RELEASE MEASURES</b>	
<b>6.1 PERSONAL PRECAUTIONS</b>	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
<b>6.2 ENVIRONMENTAL PRECAUTIONS</b>	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
<b>6.3 METHODS &amp; MATERIAL FOR CONTAINMENT AND CLEANING UP</b>	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
<b>6.4 REFERENCES TO OTHER SECTIONS</b>	REFER & CONSIDER SECTIONS 7, 8 & 13.
<b>SECTION 7: HANDLING &amp; STORAGE</b>	
<b>7.1 PRECAUTIONS FOR SAFE-HANDLING</b>	Always wash hands after handling. Remove and wash contaminated clothing before re-using. Fire prevention : Prevent access by unauthorised personnel. Recommended equipment and procedures : For personal protection, see section 8. Observe precautions stated on label and also industrial safety regulations. Avoid skin and eye contact with this mixture. Prohibited equipment and procedures : No smoking, eating or drinking in areas where the mixture is used.
<b>7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</b>	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
<b>7.3 SPECIFIC END USE(S)</b>	NO DATA.
<b>SECTION 8: EXPOSURE CONTROLS &amp; PERSONAL PROTECTION</b>	
<b>8.1 CONTROL PARAMETERS</b>	No additional data available.
<b>8.2 EXPOSURE CONTROLS</b>	



<b>EYE PROTECTION</b>	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
<b>HAND PROTECTION</b>	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
<b>RESPIRATORY EQUIPMENT</b>	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
<b>HYGIENE MEASURES</b>	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
<b>ENGINEERING MEASURES</b>	PROVIDE ADEQUATE VENTILATION.
<b>SKIN PROTECTION</b>	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
<b>PERSONAL PROTECTION</b>	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. USE OF CHEMICAL RESISTANT CLOTHING WHEN HANDELLING IS RECCOMENDED.
<b>OTHER PROTECTION</b>	AVOID SKIN CONTACT. WEAR SUITABLE PROTECTIVE CLOTHING. SUITABLE TYPE OF PROTECTIVE CLOTHING : IN THE EVENT OF SUBSTANTIAL SPATTER, WEAR LIQUID-TIGHT PROTECTIVE CLOTHING AGAINST CHEMICAL RISKS (TYPE 3) IN ACCORDANCE WITH EN14605 TO PREVENT SKIN CONTACT. IN THE EVENT OF A RISK OF SPLASHING, WEAR PROTECTIVE CLOTHING AGAINST CHEMICAL RISKS (TYPE 6) IN ACCORDANCE WITH EN13034 TO PREVENT SKIN CONTACT. WORK CLOTHING WORN BY PERSONNEL SHALL BE LAUNDERED REGULARLY. AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY THAT HAVE BEEN SOILED MUST BE WASHED.
<b>PROCESS CONDITIONS</b>	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
<b>ENVIROMENTAL EXPOSURE CONTROLS</b>	AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.

## SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

### 9.1 PHYSICAL & CHEMICAL PROPERTIES

<b>APPEARANCE</b>	LIQUID
<b>COLOUR</b>	COLOURLESS - PALE YELLOW
<b>ODOUR</b>	CHARACTERISTIC, FRESH, FLORAL
<b>FLASH POINT (°C)</b>	71 °C.
<b>RELATIVE DESNSITY @ 20 °C</b>	APPROX. 0.885 @ 20 °C
<b>REFRACTIVE INDEX @ 20 °C</b>	APPROX. 1.458 @ 20 °C
<b>SOLUBILITY IN WATER @ 20 °C</b>	INSOLUBLE IN WATER

### 9.2 OTHER INFORMATION

NO DATA.

## SECTION 10: STABILITY & REACTIVITY

### 10.1 REACTIVITY

PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS. STABLE UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE.

### 10.2 CHEMICAL STABILITY

STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15 °C).



<b>10.3</b> <b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE
<b>10.4</b> <b>CONDITIONS TO AVOID</b>	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
<b>10.5</b> <b>INCOMPATIBLE MATERIALS</b>	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
<b>10.6</b> <b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE. THERMAL DECOMPOSITION MAY RELEASE /FORM OXIDES OF CARBON (CARBON MONOXIDE, CARBON DIOXIDE) AND OTHER TOXIC GASES.

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1</b> <b>TOXICOLOGICAL EFFECTS</b>	
<b>ACUTE TOXICITY</b>	NOT CLASSIFIED. ALPHA-PINENE (80-56-8) LD50 ORAL 500 MG/KG BODYWEIGHT EUCALYPTOL (470-82-6) LD50 ORAL 2480 MG/KG BODYWEIGHT 3,7-DIMETHYL-1,3,6-OCTATRIENE (13877-91-3) LD50 ORAL 5000 MG/KG BODYWEIGHT D-CAMPHOR (464-49-3) LD50 ORAL 1500 MG/KG BODYWEIGHT LINALOOL (78-70-6) LD50 ORAL 2790 MG/KG BODYWEIGHT 4-CARVOMENTHENOL (562-74-3) LD50 ORAL 1300 MG/KG BODYWEIGHT LD50 DERMAL 2500 MG/KG BODYWEIGHT NEROL (106-25-2) LD50 ORAL 4500 MG/KG BODYWEIGHT GERANIOL (106-24-1) LD50 ORAL 3600 MG/KG BODYWEIGHT COUMARIN (91-64-5) LD50 ORAL 500 MG/KG BODYWEIGHT
<b>SKIN IRRITATION</b>	CONSIDERED A SKIN IRRITANT (ROUTE: DRM). THERE MAY BE IRRITATION AND REDNESS AT SITE OF CONTACT.
<b>EYE DAMAGE OR IRRITATION</b>	CAUSES SERIOUS EYE IRRITATION.
<b>RESPIRATORY OR SKIN SENSITIVITY</b>	SKIN – MAY CAUSE AN ALLERGIC REACTION
<b>GERM CELL MUTAGENICITY</b>	NOT CLASSIFIED
<b>CARCINOGENICITY</b>	NOT CLASSIFIED
<b>REPRODUCTIVE TOXICITY</b>	NOT CLASSIFIED
<b>STOT – SINGLE EXPOSURE</b>	NOT CLASSIFIED
<b>STOT – REPEATED EXPOSURE</b>	NOT CLASSIFIED
<b>ASPIRATION HAZARD</b>	MAY BE FATAL IF SWALLOWED OR ENTERS AIRWAYS.
<b>OTHER INFORMATION</b>	NO DATA.
<b>SECTION 12: ECOLOGICAL INFORMATION</b>	
<b>12.1</b>	

<b>TOXICITY</b>	AQUATIC LIFE: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
<b>12.2</b> <b>PERSISTENCE &amp; DEGRADABILITY</b>	NO ADDITIONAL DATA AVAILABLE
<b>12.3</b> <b>BIO- ACCUMULATIVE POTENTIAL</b>	NO ADDITIONAL DATA AVAILABLE
<b>12.4</b> <b>MOBILITY IN SOIL</b>	NO ADDITIONAL DATA AVAILABLE
<b>12.5</b> <b>RESULTS OF PBT &amp; VPVB ASSESSMENT</b>	NO ADDITIONAL DATA AVAILABLE
<b>12.6</b> <b>OTHER ADVERSE EFFECTS</b>	NO ADDITIONAL DATA AVAILABLE
<b>SECTION 13: DISPOSAL INFORMATION</b>	
<b>13.1</b> <b>WASTE TREATMENT METHODS</b>	<p>DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS.</p> <p><b>WASTE:</b> WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT.</p> <p><b>SOILED PACKAGING:</b> EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.</p>

<b>SECTION 14: TRANSPORT INFORMATION</b>	
<b>14.1</b> <b>TRANSPORT INFORMATION</b>	
<b>UN NUMBER</b>	<b>ROAD: 3082</b> <b>SEA: 3082</b> <b>AIR: 3082</b>
<b>14.2</b> <b>UN SHIPPING NAME</b>	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S</b>
<b>14.3</b> <b>TRANSPORT HAZARD CLASS(ES)</b>	<p><b>ADR/RID</b>  ADR/RID— CLASS 9  ADR CLASSIFICATION CODE — M6  SPECIAL PROVISIONS — 274 335 375 601  LIMITED QUANTITIES — 5L  EXPECTED QUANTITIES — E1  PACKING INSTRUCTIONS - P001, IBC03, LP01, R001  SPECIAL PACKING PROVISIONS - PP1  MIXED PACKING PROVISIONS - MP19  PORTABLE TANK AND BULK CONTAINER INSTRUCTIONS - T4  PORTABLE TANK AND BULK CONTAINER SPECIAL PROVISIONS - TP1, TP29  TANK CODE - LGBV  VEHICLE FOR TANK CARRIAGE - AT  TRANSPORT CATEGORY - 3  SPECIAL PROVISIONS FOR CARRIAGE - PACKAGES: V12  SPECIAL PROVISIONS FOR CARRIAGE - LOADING, UNLOADING AND HANDLING - CV13  HAZARD IDENTIFICATION NUMBER (KEMLER NO.) - 90  EMERGENCY ACTION CODE — *3Z</p> <p><b>IMDG</b>  IMDG — CLASS 9  SPECIAL PROVISIONS — 274 335 969  LIMITED QUANTITIES — 5L  EXPECTED QUANTITIES — E1</p>

	<p>PACKING INSTRUCTIONS - LP01, P001  SPECIAL PACKING PROVISIONS - PP1  IBC PACKING INSTRUCTIONS - IBC03  TANK INSTRUCTIONS - T4  TANK SPECIAL PROVISIONS - TP2, TP29  IMDG EMS – F-A, S-F  STOWAGE AND HANDLING – CATEGORY A</p> <p><b>ICAO/IATA</b>  ICAO/IATA– CLASS 9  IATA PROPER SHIPPING NAME - ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S.  EXPECTED QUANTITIES – E1  PCA LIMITED QUANTITIES (IATA) - Y964  PCA LIMITED QUANTITY MAX NET QUANTITY (IATA) - 30kgG  PCA PACKING INSTRUCTIONS (IATA) - 964  PCA MAX NET QUANTITY (IATA) - 450L  CAO PACKING INSTRUCTIONS (IATA) - 964  CAO MAX NET QUANTITY (IATA) - 450L  SPECIAL PROVISIONS (IATA) - A97, A158, A197  ERG CODE (IATA) - 9L</p> <p>TRANSPORT LABELS</p> 
<b>14.4</b> <b>PACKING GROUP</b>	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
<b>14.5</b> <b>ENVIROMENTAL HAZARDS</b>	<p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.</p> 
<b>14.6</b> <b>SPECIAL PRECAUTIONS FOR USER</b>	SEE SECTIONS 6 – 8.
<b>14.7</b> <b>TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 &amp; THE IBC CODE.</b>	NOT APPLICABLE.
<b>SECTION 15: REGULATORY INFORMATION</b>	
<b>15.1</b> <b>PRODUCT SPECIFIC SAFETY, HEALTH &amp; ENVIRONMENTAL REGULATIONS &amp; LEGISLATION</b>	
<b>EU DIRECTIVES</b>	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 <sup>TH</sup> DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) No793/93 & COMMISSION REGULATION (EC) No1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
<b>STATUTORY INSTRUMENTS</b>	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 No 716).
<b>APPROVED CODE OF PRACTICE</b>	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
<b>GUIDANCE NOTES</b>	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.



<b>15.2</b> <b>CHEMICAL SAFETY ASSESSMENT</b>	-
--	---

<b>SECTION 16: OTHER INFORMATION</b>	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H226 FLAMMABLE LIQUID AND VAPOUR. H228 FLAMMABLE SOLID. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H318 CAUSES SERIOUS EYE DAMAGE. H319 CAUSES SERIOUS EYE IRRITATION. H332 HARMFUL IF INHALED. H371 MAY CAUSE DAMAGE TO ORGANS. H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H413 MAY CAUSE LONG LASTING HARMFUL EFFECTS TO AQUATIC LIFE.
<b>TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.</b>	
<b>ABBREVIATIONS &amp; ACRONYMS:</b>	
<b>MSDS</b>	MATERIAL SAFETY DATA SHEET.
<b>INCI</b>	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
<b>CAS</b>	CHEMICAL ABSTRACT SERVICE.
<b>IMDG</b>	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
<b>ADR</b>	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
<b>RID</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
<b>ICAO</b>	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
<b>ADN</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
<b>GHS</b>	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
<b>TREM CARD</b>	TRANSPORT EMERGENCY CARD.
<b>STOT</b>	SPECIFIC TARGET ORGAN TOXICITY.

<b>DOCUMENTATION REVISION</b>	
<b>DATE</b>	<b>CHANGE DESCRIPTION</b>
<b>10<sup>TH</sup> APRIL 2018</b>	DATA LAUNCH
<b>FEBRUARY 2021</b>	DOCUMENT REVIEW